Author Index Vol. 775

Abalde, J., see Torres, E. 775(1997)339

Abatzoglou, Ch., Iliopoulou, E., Katsanos, N.A., Roubani-Kalantzopoulou, F. and Kalantzopoulos, A.
Deposition parameters of air pollutants on solid surfaces, measured in the presence of surface and gaseous reactions, with a simultaneous determination of the experimental isotherms 775(1997)211

Arnold, F.H., see Vidyasankar, S. 775(1997)51

Artelt, S., see Nachtigall, D. 775(1997)197

Bächmann, K., see Tenberken, B. 775(1997)372

Becker, G., Janák, K., Colmsjö, A. and Östman, C.
Speciation of organotin compounds released from poly(vinyl chloride) at increased temperature by gas chromatography with atomic emission detection 775(1997)295

Boelens, H.F.M., see Busch, M.H.A. 775(1997)313

Borrós, S., see Ibañez, E. 775(1997)287

Burton, S.C. and Harding, D.R.K.
Bifunctional etherification of a bead cellulose for ligand attachment with allyl bromide and allyl glycidyl ether 775(1997)29

Burton, S.C. and Harding, D.R.K.
High-density ligand attachment to brominated allyl matrices and application to mixed mode chromatography of chymosin 775(1997)39

Busch, M.H.A., Boelens, H.F.M., Kraak, J.C. and Poppe, H.
Vacancy affinity capillary electrophoresis, a new method for measuring association constants 775(1997)313

Carr, P.W., see Tan, L.C. 775(1997)1

Castells, C.B., see Castells, R.C. 775(1997)73

Castells, R.C., Castells, C.B. and Castillo, M.A.
Influence of differences between sample and mobile phase viscosities on the shape of chromatographic elution profiles 775(1997)73

Castillo, M.A., see Castells, R.C. 775(1997)73

Chang, C.-C., see Lin, C.-E. 775(1997)349

Chanthawat, B., see Pietrzyk, D.J. 775(1997)327

Chauvaux, N., Van Dongen, W., Esmans, E.L. and Van Onckelen, H.A.
Quantitative analysis of 1-aminocyclopropane-1-carboxylic acid by liquid chromatography coupled to electrospray tandem mass spectrometry 775(1997)143

Chen, C.-M., see Lee, M.-R. 775(1997)267

Chen, S., see Pietrzyk, D.J. 775(1997)327

Chen, Y.-C., see Lin, C.-E. 775(1997)349

Cid, A., see Torres, E. 775(1997)339

Colmsjö, A., see Becker, G. 775(1997)295

Comellas, L., see Ibañez, E. 775(1997)287

Dauneau, P. and Perez-Martinez, G.
Fractional factorial design and multiple linear regression to optimise extraction of volatiles from a *Lactobacillus plantarum* bacterial suspension using purge and trap 775(1997)225

Diez, M., see Ruiz-Calero, V. 775(1997)91

Dürbeck, H.W., see Kreisselmeier, A. 775(1997)187

Elling, J.W., see Magelssen, G.R. 775(1997)231

Esmans, E.L., see Chauvaux, N. 775(1997)143

Etiope, G.
Evaluation of a micro gas chromatographic technique for environmental analyses of CO_2 and C_1–C_6 alkanes 775(1997)243

Feng, Y., see Wang, Z. 775(1997)251

Fidalgo, P., see Torres, E. 775(1997)339

Fingas, M., see Wang, Z. 775(1997)251

Fréchet, J.M.J., see Xie, S. 775(1997)65

Fröbe, Z., see Švob Troje, Z. 775(1997)101

Galceran, M.T., see Pais, P. 775(1997)125

Galceran, M.T., see Ruiz-Calero, V. 775(1997)91

Galloway, H., see Harvey, S.D. 775(1997)117

Gasco-Lopez, A.I., Izquierdo-Hornillos, R. and Jiminez, A.
Development and validation of a high-performance liquid chromatography method for the determination of cold relief ingredients in chewing gum 775(1997)179

Gassiot, M., see Ibañez, E. 775(1997)287

German, A.L., see Philipsen, H.J.A. 775(1997)157

Harding, D.R.K., see Burton, S.C. 775(1997)29

Harding, D.R.K., see Burton, S.C. 775(1997)39

Harvey, S.D., Galloway, H. and Krupsha, A.
Trace analysis of military high explosives (2,4,6-trinitrotoluene and hexahydro-1,3,5-trinitro-1,3,5-triazine) in agricultural crops 775(1997)117

Honda, F., Honda, H., Koishi, M. and Matsuno, T.
Double-layered composite particles as a complex stationary phase for high-performance liquid chromatography 775(1997)13

Honda, H., see Honda, F. 775(1997)13

Hsiang, W.-S., see Lee, M.-R. 775(1997)267

Ibañez, E., Borrós, S., Comellas, L. and Gassiot, M.
Determination of β-hydroxy fatty acids in sewage sludge by using selected ion monitoring 775(1997)287

Iliopoulou, E., see Abatzoglou, Ch. 775(1997)211

Izquierdo-Hornillos, R., see Gasco-Lopez, A.I. 775(1997)179

Jackson, P.E., see Toofan, M. 775(1997)109

Janák, K., see Becker, G. 775(1997)295

Jenkins, J.J., see Moate, T.F. 775(1997)307

Jiminez, A., see Gasco-Lopez, A.I. 775(1997)179

Kalantzopoulos, A., see Abatzoglou, Ch. 775(1997)211

Kamata, K., see Takahashi, M. 775(1997)137

Karlsson, H., see Oehme, M. 775(1997)275

Katalinić, V.
High-performance liquid chromatographic determination of flavan fingerprints in plant extracts 775(1997)359

Katsanos, N.A., see Abatzoglou, Ch. 775(1997)211

Klumperman, B., see Philipsen, H.J.A. 775(1997)157

Koishi, M., see Honda, F. 775(1997)13

Kraak, J.C., see Busch, M.H.A. 775(1997)313

Kreisselmeier, A. and Dürbeck, H.W.
Determination of alkylphenols, alkylphenolethoxylates and linear alkylbenezenesulfonates in sediments by accelerated solvent extraction and supercritical fluid extraction 775(1997)187

Krupsha, A., see Harvey, S.D. 775(1997)117

Landriault, M., see Wang, Z. 775(1997)251
Lee, J.-S., see Lee, M.-R. 775(1997)267
Lee, M.-R., Lee, J.-S., Hsiang, W.-S. and Chen, C.-M.
Purge-and-trap gas chromatography–mass spectrometry in the analysis of volatile organochlorine compounds in water 775(1997)267
Lin, C.-E., Chen, Y.-C., Chang, C.-C. and Wang, D.-Z.
Migration behavior and selectivity of β-blockers in micellar electrokinetic chromatography. Influence of micelle concentration of cationic surfactants 775(1997)349
Magelssen, G.R. and Elling, J.W.
Chromatography pattern recognition of Aroclors using iterative probabilistic neural networks 775(1997)231
Matsuno, T., see Honda, F. 775(1997)13
Moate, T.F. and Jenkins, J.J.
Gas chromatographic determination of airborne residues of azinphosmethyl and azinphosmethyl-oxon by cool on-column injection 775(1997)307
Moyano, E., see Pais, P. 775(1997)125
Müller, L., see Oehme, M. 775(1997)275
Mullin, J., see Wang, Z. 775(1997)251
Nachtigall, D., Artelt, S. and Wünsch, G.
Speciation of platinum–chloro complexes and their hydrolysis products by ion chromatography. Determination of platinum oxidation states 775(1997)197
Nagashima, M., see Takahashi, M. 775(1997)137
Nishijima, M., see Takahashi, M. 775(1997)137
Noll, R.J., Zorn, M.E. and Sonzogni, W.C.
Negative chromatographic peaks with oxygen doped electron capture detection of polychlorinated biphenyls 775(1997)368
Oehme, M., Müller, L. and Karlsson, H.
High-resolution gas chromatographic test for the characterisation of enantioselective separation of organochlorine compounds. Application to *tert.*-butyldimethylsilyl β-cyclodextrin 775(1997)275
Oestreich, M., see Philipsen, H.J.A. 775(1997)157
O'Keefe, D.O.
Process clearance of dithiothreitol monitored by reversed-phase high-performance liquid chromatography with fluorescence detection. Assay development and validation 775(1997)151
Östman, C., see Becker, G. 775(1997)295
Pais, P., Moyano, E., Puignou, L. and Galceran, M.T.
Liquid chromatography–electrospray mass spectrometry with in-source fragmentation for the identification and quantification of fourteen mutagenic amines in beef extracts 775(1997)125
Perez-Martinez, G., see Dauneau, P. 775(1997)225
Perović, ., see Švob Troje, Z. 775(1997)101
Philipsen, H.J.A., Oestreich, M., Klumperman, B. and German, A.L.
Characterization of low-molar-mass polymers by gradient polymer elution chromatography. III. Behaviour of crystalline polyesters under reversed-phase conditions 775(1997)157
Pietrzyk, D.J., Chen, S. and Chanthawat, B.
Enhanced capillary zone electrophoretic separation of dinitrophenyl-amino acid derivatives through control of electroosmotic flow by the buffer cation 775(1997)327
Pirkle, W.H. and Spence, P.L.
Enantiodifferentiation of aryl-substituted heterocycles: a mechanistic study using γ-lactones 775(1997)81
Pohl, C.A., see Toofan, M. 775(1997)109
Poppe, H., see Busch, M.H.A. 775(1997)313
Puignou, L., see Pais, P. 775(1997)125
Puignou, L., see Ruiz-Calero, V. 775(1997)91
Roubani-Kalantzopoulou, F., see Abatzoglou, Ch. 775(1997)211
Ru, M., see Vidyasankar, S. 775(1997)51
Ruiz-Calero, V., Puignou, L., Galceran, M.T. and Diez, M.
Coupling high-performance size exclusion and ion chromatography for the analysis of low-molecular-mass heparin 775(1997)91
Shigeoka, S., see Takahashi, M. 775(1997)137
Sigouin, L., see Wang, Z. 775(1997)251
Sonzogni, W.C., see Noll, R.J. 775(1997)368
Spence, P.L., see Pirkle, W.H. 775(1997)81
Stillian, J.R., see Toofan, M. 775(1997)109
Svec, F., see Xie, S. 775(1997)65
Švob Troje, Z., Fröbe, Z. and Perović, Đ.
Analysis of selected alkaloids and sugars in tobacco extract 775(1997)101
Takahashi, M., Nagashima, M., Shigeoka, S., Nishijima, M. and Kamata, K.
Determination of atropine in pharmaceutical preparations by liquid chromatography with fluorescence detection 775(1997)137
Tan, L.C. and Carr, P.W.
Revisionist look at solvophobic driving forces in reversed-phase liquid chromatography. II. Partitioning vs. adsorption mechanism in monomeric alkyl bonded phase supports 775(1997)1
Tenberken, B. and Bächmann, K.
Development of new methods for the analysis of single cloud-, fog- and raindrops by capillary electrophoresis 775(1997)372
Toofan, M., Pohl, C.A., Stillian, J.R. and Jackson, P.E.
Factors affecting the ion chromatographic preconcentration behaviour of inorganic anions and organic acids 775(1997)109
Torres, E., Cid, A., Fidalgo, P. and Abalde, J.
Rapid assay for the analysis of class III metallothioneins by capillary zone electrophoresis in crude extracts of microalgal cells exposed to cadmium 775(1997)339
Van Dongen, W., see Chauvaux, N. 775(1997)143
Van Onckelen, H.A., see Chauvaux, N. 775(1997)143
Vidyasankar, S., Ru, M. and Arnold, F.H.
Molecularly imprinted ligand-exchange adsorbents for the chiral separation of underivatized amino acids 775(1997)51
Wang, D.-Z., see Lin, C.-E. 775(1997)349
Wang, Z., Fingas, M., Landriault, M., Sigouin, L., Feng, Y. and Mullin, J.
Using systematic and comparative analytical data to identify the source of an unknown oil on contaminated birds 775(1997)251
Wünsch, G., see Nachtigall, D. 775(1997)197
Xie, S., Svec, F. and Fréchet, J.M.J.
Rigid porous polyacrylamide-based monolithic columns containing butyl methacrylate as a separation medium for the rapid hydrophobic interaction chromatography of proteins 775(1997)65
Zorn, M.E., see Noll, R.J. 775(1997)368